


PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : B42D 15/10</p>	<p>A1</p>	<p>(11) International Publication Number: WO 98/19870</p> <p>(43) International Publication Date: 14 May 1998 (14.05.98)</p>
<p>(21) International Application Number: PCT/FI97/00666</p> <p>(22) International Filing Date: 31 October 1997 (31.10.97)</p> <p>(30) Priority Data: 964406 1 November 1996 (01.11.96) FI</p> <p>(71) Applicant: SETEC OY [FI/FI]; P.O. Box 31, FIN-01741 Vantaa (FI).</p> <p>(72) Inventors: ALMGREN, Reijo; Marjatie 11, FIN-01900 Nurmijärvi (FI). MÄKINEN, Olli; Hiivisuontie 2 C, FIN-01690 Vantaa (FI). JAUHIAINEN, Erkki; Kiviojantie 123, FIN-03300 Otalampi (FI). KORHONEN, Maila; Vaahtokuja 2 B 12, FIN-01600 Vantaa (FI). PARVI-AINEN, Jouko; Syyrakinkuja 7, FIN-01890 Vantaa (FI).</p> <p>(74) Agent: BERGGREN OY AB; P.O. Box 16, FIN-00101 Helsinki (FI).</p>		<p>(81) Designated States: CZ, EE, HU, IS, LT, LV, NO, PL, RU, SK, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</p> <p>Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments. In English translation (filed in Finnish).</i></p>
<p>(54) Title: PASSPORT</p> <p>(57) Abstract</p> <p>A passport comprising an information page (1) with the identification information (2) and a photograph (3) of the passport owner. The information page (1) consists of thermosetting plastic material (5, 6, 7), such as polycarbonate, which is personalised by means of laser beam inscribing.</p> 		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

PASSPORT

The object of the invention is a passport comprising an information page with the identification information and a photograph of the passport owner.

- 5 It has been discovered that passports are forged in spite of the fact that the identification information and the photograph of the owner are tightly glued under a transparent plastic film and inside the firm cover of the passport. Other solutions known per se have also been used to minimise and prevent the forging of passports.

- The purpose of the invention is to provide a new type of passport which makes it impossible to forge passports. The passport according to the invention is characterised in that the information page consists of thermosetting plastic material, such as polycarbonate, which is personalised by inscribing it by means of a laser beam. Tests have been carried out which prove that the passport according to the invention and the identification information and the photograph provided by using the said method can be manufactured only by using certain devices and correctly selected materials so that the end result looks exactly as desired. Practically, the passport is therefore impossible to forge. To manufacture the passport, special equipment and correctly selected blank materials are needed which only the passport manufacturers have the possibility and the rights to acquire. The various embodiments of the invention are presented in the dependent claims of the array of claims.

In the following, the invention is described with the aid of an example with reference to the appended drawing in which

Fig. 1 shows the passport in an opened state,

- Fig. 2 shows the binding spot of the passport as viewed from the direction of arrow II before the binding, and

Fig. 3 is an enlarged view of a section of the information page.

- The information page 1 of the passport comprises identification information 2 and photograph 3 of the owner of the passport. Information page 1 consists of polycarbonate which is personalised 2, 3, 4 by means of laser beam inscribing. Information page 1 has three layers 5, 6, 7. Surface layers 5, 7 are transparent and layer 6 between the surface layers is white. All layers 5, 6, 7 are laminated to each other by using heat and pressure. One of the transparent layers comprises about 4 %o carbon which provides darkened patterns 4 on the readable side of information page 1 by means of laser beam inscribing.

- The information page is also provided with changeable laser image 8 (CLI). The information page is thicker in the personalisation area 9 than in area 10 which extends to a fabric. The thickness of the personalisation area is about 0.3-0.4 mm and the thickness of the area extending to the fabric is about 0.1-0.2 mm. There is only
- 5 transparent plastic provided in fabric area 10 of information page 1. Information page 1 is attached to cover page 11 of the passport and to the other pages of the passport by sewing. Other pages 12 of the passport are then bound to the passport at dashed line 13. Personalisation 2, 3 of information page 1 of the passport is made fully by means of laser beam inscribing.
- 10 Separating layer 14 is employed in the fabric area of information page 1, preventing layers 5, 7 from laminating to each other. Consequently, layers 5, 7 of information page 1 can slide with respect to each other in fabric area 10, increasing the strength of the passport. The separating layer can be, for example, PVA = polyvinyl alcohol or polyvinyl butyrate.

15

CLAIMS

1. A passport comprising an information page (1) with the identification information (2) and a photograph (3) of the passport owner, **characterised** in that the information page (1) consists of thermosetting plastic (5, 6, 7), such as polycarbonate, which is personified by means of laser beam inscribing.
2. A passport according to Claim 1, **characterised** in that the information page (1) is multilayer so that it comprises at least one transparent layer (5) and one coloured layer (6), whereby the coloured layer is preferably white, and the layers are laminated to each other by using heat and pressure.
3. A passport according to Claim 1 or 2, **characterised** in that the information page (1) is multilayer so that the coloured layer (6) is located between the two transparent layers (5, 7) and that one transparent layer comprises, for example, 4 % carbon which provides darkened patterns on the readable side of the information page by means of laser beam inscribing.
4. A passport according to any of the preceding Claims, **characterised** in that the fabric area (10) of the information page (1) only comprises transparent layers.
5. A passport according to any of the preceding Claims, **characterised** in that the information page (1) is provided with a changeable laser image (8) (CLI).
6. A passport according to any of the preceding Claims, **characterised** in that a separating layer (14) is provided in the fabric area (10) of the information page (1), preventing the layers (5, 7) from laminating to each other.




Fig. 1




Fig. 2




Fig. 3

2/2




Fig. 4




Fig. 5

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 97/00666

A. CLASSIFICATION OF SUBJECT MATTER

IPC6: B42D 15/10

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: B42D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPODOC, WPI

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0364730 A2 (GAO GESELLSCHAFT FÜR AUTOMATION UND ORGANISATION MBH), 25 April 1990 (25.04.90), column 5, line 24 - column 8, line 56, figures 1,2, abstract --	1-6
X	EP 0372274 A2 (GAO GESELLSCHAFT FÜR AUTOMATION UND ORGANISATION MBH), 13 June 1990 (13.06.90), abstract --	1-3
X	EP 0676715 A2 (DORNED B.V.), 11 October 1995 (11.10.95), figure 1, abstract --	1-3

☒ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "B" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

27 February 1998

Date of mailing of the international search report

02-03-1998

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Kerstin Brinkman
Telephone No. +46 8 782 25 00

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2132136 A (METAL BOX PLC), 4 July 1984 (04.07.84), figure 2, abstract --	1-3
X	US 4629215 A (MAURER ET AL), 16 December 1986 (16.12.86), figure 2, abstract --	1-3
X	US 4579754 A (MAURER ET AL), 1 April 1986 (01.04.86), figures 1-3, abstract --	1-3
A	US 4911478 A (OSHIKOSHI ET AL), 27 March 1990 (27.03.90), column 3, line 32 - line 60, figure 2 -- -----	6

INTERNATIONAL SEARCH REPORT
Information on patent family members

03/02/98

International application No.
PCT/FI 97/00666

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0364730 A2	25/04/90	AT 125493 T DE 3835999 A DE 58909364 D JP 2164595 A	15/08/95 03/05/90 00/00/00 25/06/90
EP 0372274 A2	13/06/90	SE 0372274 T3 AT 118407 T AT 154548 T DE 3840729 A,C DE 58909000 D DE 58909804 D EP 0628431 A,B ES 2069565 T JP 2184497 A US 5298922 A	15/03/95 15/07/97 13/06/90 00/00/00 00/00/00 14/12/94 16/05/95 18/07/90 29/03/94
EP 0676715 A2	11/10/95	NL 9400539 A	01/11/95
GB 2132136 A	04/07/84	NONE	
US 4629215 A	16/12/86	AT 392439 B BE 891592 A CH 653960 A,B DE 3048735 A,C FR 2496938 A,B GB 2092518 A,B JP 1730279 C JP 1914071 C JP 3080637 B JP 5212993 A JP 6033017 B JP 57128598 A NL 190365 B,C NL 8105555 A SE 461259 B,C SE 8107608 A US 4735670 A	25/03/91 16/04/82 31/01/86 19/08/82 25/06/82 18/08/82 29/01/93 23/03/95 25/12/91 24/08/93 02/05/94 10/08/82 01/09/93 16/07/82 29/01/90 24/06/82 05/04/88
US 4579754 A	01/04/86	AT 391656 B BE 895354 A CH 658830 A,B DE 3151407 C FR 2520902 A,B GB 2111910 A,B JP 1738999 C JP 4000036 B JP 58122899 A NL 191256 B,C NL 8204822 A SE 468755 B,C SE 8207282 A	12/11/90 31/03/83 15/12/86 13/10/83 05/08/83 13/07/83 26/02/93 06/01/92 21/07/83 16/11/94 18/07/83 15/03/93 25/06/83

INTERNATIONAL SEARCH REPORT
Information on patent family members

03/02/98

International application No.
PCT/FI 97/00666

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4911478 A	27/03/90	DE 3850342 D,T	13/10/94
		DE 3852924 D,T	24/05/95
		EP 0313084 A,B	26/04/89
		EP 0314134 A,B	03/05/89
		JP 1225595 A	08/09/89
		JP 2529338 B	28/08/96
		US 4928996 A	29/05/90
		JP 1225596 A	08/09/89
		JP 1114491 A	08/05/89
		JP 1955244 C	28/07/95
		JP 6088469 B	09/11/94
<hr/>			